Annual Index, Volume 35, 1987

Author Index

Abraham JP
Unusual lymphomas developing in chronic lymphocytic leukemia. Raman SBK, Saeed SM. 1987;35:251-5.

Abrash MP
Management of extramedullary plasmacytomas. Bonner JA, Dragovic J. 1987;35:245-50.

Ait-Abdellah M
A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, Vauzelle P, Gardet P, Bohuon C, Bellet D. 1987;35:129-32.

Ansari MR
Primary hyperparathyroidism and associated neoplasms. Kambouris AA, Talpos GB. 1987;35:207-10.

Barsky D
Extensive morphea-form basal cell carcinoma invasion of the iris and the orbital contents. Vasileff WJ. 1987;35:71-3.

Bellet D
A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, Ait-Abdellah M, Vauzelle P, Gardet P, Bohuon C. 1987;35:129-32.

Benfer DW
Health care policy issues related to AIDS: Lessons learned from the Henry Ford Hospital experience. 1987;35:52-7.

Berends MJH
Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Minder WH, Blok APR, Geerdink RA, Hackeng WHL, Roelofs JMM, Vasen HFA, Vette JK. 1987;35:133-8.

Berg B
Screening for early asymptomatic pheochromocytoma in MEN-2. Telenius-Berg M, Hamberger B, Tibblin S. 1987;35:110-4.

Bernstein MA
Gastrointestinal complications of AIDS: Radiologic findings. Hollerman JJ, Feczko PJ. 1987;35:20-5.

Beukers EKM
MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, Nieuwenhuijzen Kruseman AC, Moers AMJ, Lips CJM, Wiersinga WM, Geerdink RA. 1987;35:101-3.

Blok APR
Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Berends MJH, Minder WH, Geerdink RA, Hackeng WHL, Roelofs JMM, Vasen HFA, Vette JK. 1987; 35:133-8.

Bohuon C
A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, Ait-Abdellah M, Vauzelle P, Gardet P, Bellet D. 1987;35:129-32.

Bonner JA
Management of extramedullary plasmacytomas. Dragovic J, Abrash MP. 1987;35:245-50.

Bricker L
T-cell lymphoma in renal transplant recipient. Maeda K, Ma CK, Deegan MJ. 1987;35:256-8.

Brown GG
Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Preisman RC, Kleerekoper M. 1987;35:211-5.

Brunner JE
Guides to clinical aspiration biopsy: Thyroid (book review). 1987; 35:266.

Bruno P
Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, Price J, Fisher EJ, Popovich J Jr, Eichenhorn MS. 1987;35:42-6.

Caillou B
Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Carrier AM, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.
Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, Chayvialle JA, Modigliani E, Calmettes C, Dutrieux-Berger N, Houdent C, Kujas M. 1987;35:147-8.

Calmettes C
Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, Chayvialle JA, Modigliani E, Caillou B, Dutrieux-Berger N, Houdent C, Kujas M. 1987;35:147-8.
Screening in medullary thyroid carcinoma. 1987;35:99-100.

Carrier AM
Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.

Annual Index, Volume 35, 1987

Author Index

Abraham JP
Unusual lymphomas developing in chronic lymphocytic leukemia. Raman SBK, Saeed SM. 1987;35:251-5.

Abrash MP
Management of extramedullary plasmacytomas. Bonner JA, Dragovic J. 1987;35:245-50.

Ait-Abdellah M
A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, Vauzelle P, Gardet P, Bohuon C, Bellet D. 1987;35:129-32.

Ansari MR
Primary hyperparathyroidism and associated neoplasms. Kambouris AA, Talpos GB. 1987;35:207-10.

Barsky D
Extensive morphea-form basal cell carcinoma invasion of the iris and the orbital contents. Vasileff WJ. 1987;35:71-3.

Bellet D
A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, Ait-Abdellah M, Vauzelle P, Gardet P, Bohuon C. 1987;35:129-32.

Benfer DW
Health care policy issues related to AIDS: Lessons learned from the Henry Ford Hospital experience. 1987;35:52-7.

Berends MJH
Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Minder WH, Blok APR, Geerdink RA, Hackeng WHL, Roelofs JMM, Vasen HFA, Vette JK. 1987;35:133-8.

Berg B
Screening for early asymptomatic pheochromocytoma in MEN-2. Telenius-Berg M, Hamberger B, Tibblin S. 1987;35:110-4.

Bernstein MA
Gastrointestinal complications of AIDS: Radiologic findings. Hollerman JJ, Feczko PJ. 1987;35:20-5.

Beukers EKM
MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, Nieuwenhuijzen Kruseman AC, Moers AMJ, Lips CJM, Wiersinga WM, Geerdink RA. 1987;35:101-3.

Blok APR
Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Berends MJH, Minder WH, Geerdink RA, Hackeng WHL, Roelofs JMM, Vasen HFA, Vette JK. 1987; 35:133-8.

Bohuon C
A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, Ait-Abdellah M, Vauzelle P, Gardet P, Bellet D. 1987;35:129-32.

Bonner JA
Management of extramedullary plasmacytomas. Dragovic J, Abrash MP. 1987;35:245-50.

Bricker L
T-cell lymphoma in renal transplant recipient. Maeda K, Ma CK, Deegan MJ. 1987;35:256-8.

Brown GG
Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Preisman RC, Kleerekoper M. 1987;35:211-5.

Brunner JE
Guides to clinical aspiration biopsy: Thyroid (book review). 1987; 35:266.

Bruno P
Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, Price J, Fisher EJ, Popovich J Jr, Eichenhorn MS. 1987;35:42-6.

Caillou B
Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Carrier AM, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.
Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, Chayvialle JA, Modigliani E, Calmettes C, Dutrieux-Berger N, Houdent C, Kujas M. 1987;35:147-8.

Calmettes C
Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, Chayvialle JA, Modigliani E, Caillou B, Dutrieux-Berger N, Houdent C, Kujas M. 1987;35:147-8.
Screening in medullary thyroid carcinoma. 1987;35:99-100.

Carrier AM
Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.

Carter C
Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, Jeffreys AJ, Hartley NE, Easton DF, Telenius H, Telenius-Berg M. 1987;35:161-3.

Castiglione CM
One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, Kidd JR, Pletcher BA, Murphy PD, Farrer LA, Genel M, Kidd KK. 1987;35:164-7.

Cedermark B
Subtotal adrenalectomy in multiple endocrine neoplasia type 2. Hamberger B, Telenius-Berg M, Grondal S, Hansson B-G, Werner S. 1987;35:127-8.

Chapman R
Clinical review of epidemic Kaposi's sarcoma with focus on treatment modalities. Goodman J, Meiri E. 1987;35:26-9.

Chayvialle JA
Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, Modigliani E, Calmettes C, Caillou B, Dutrieux-Berger N, Houdent C, Kujas M. 1987;35:147-8.

Clarke SEM
Radionuclide imaging in medullary thyroid carcinoma: Evaluation of two new radiopharmaceuticals. Lazarus CR, Maisey MN. 1987; 35:124-6.

Cortes P
Renal involvement in type 2 diabetes mellitus: A clinicopathologic study of the Henry Ford Hospital experience. Dumler F, Kumar V, Romanski RN, Levin NW. 1987;35:221-5.

Cote GJ
Different mechanisms of calcitonin, calcitonin gene-related peptide, and somatostatin regulation by glucocorticoids in a cell culture of human medullary thyroid carcinoma. Gagel RF. 1987;35:149-52.

Cryar AK
Pituitary metastasis: Lung cancer presenting as bitemporal hemianopsia with diabetes insipidus and anterior pituitary deficiency. Morgan J, Rock JP, Wisgerhof M. 1987;35:185-7.

Cummings T
Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, Tashjian AH Jr, Papathanasopoulos N, Reichlin S. 1987;35:94-8.

Daa Schroder H
Calcitonin gene-related peptide and calcitonin in MEN-2 and sporadic pheochromocytomas: An immunohistochemical study. Johannsen L, Schifter S. 1987;35:115-7.

Deegan MJ
T-cell lymphoma in renal transplant recipient. Maeda K, Bricker L, Ma CK. 1987;35:256-8.
T-lymphocyte subset studies to monitor patients with AIDS and AIDS-related complex. Hayashi H, Mezger E, Fisher EJ, Markowitz N. 1987;35:30-2.

Domanski MD
The AIDS challenge: A psychosocial perspective. Plotkin MS. 1987;35:47-51.

Dragovic J
Management of extramedullary plasmacytomas. Bonner JA, Abrash MP. 1987;35:245-50.

Dumler F
Renal involvement in type 2 diabetes mellitus: A clinicopathologic study of the Henry Ford Hospital experience. Kumar V, Romanski RN, Cortes P, Levin NW. 1987;35:221-5.

Dutrieux-Berger N
Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987; 35:139-42.
Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, Chayvialle JA, Modigliani E, Calmettes C, Caillou B, Houdent C, Kujas M. 1987;35:147-8.

Easton DF
Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, Jeffreys AJ, Hartley NE, Carter C, Telenius H, Telenius-Berg M. 1987;35:161-3.

Eichenhorn MS
Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, Price J, Bruno P, Fisher EJ, Popovich J Jr. 1987;35:42-6.

Ellis BI
An overview of magnetic resonance imaging of the appendicular musculoskeletal system. Siegel SC, Haggar AM, Froelich JW. 1987;35:234-44.

Fachnie JD
Effects of weight reduction, exercise, and diet modification on lipids and apolipoproteins A-1 and B in severely obese persons. Foreback CC. 1987;35:216-20.

Farrer LA
One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, Kidd JR, Castiglione CM, Pletcher BA, Murphy PD, Genel M, Kidd KK. 1987;35:164-7.

Feczko PJ
Gastrointestinal complications of AIDS: Radiologic findings. Bernstein MA, Hollerman JJ. 1987;35:20-5.

Feldkamp CS
Clinical value of calcitonin and carcinoembryonic antigen doubling times in medullary thyroid carcinoma. Jackson CE, Norum RA, Talpos GB, Tashjian AH Jr. 1987;35:120-1.
Comparison of four high-sensitivity immunoradiometric assays for thyrotropin and results of preliminary clinical studies. McKenna MJ, Goad E, Pimputkar MR. 1987;35:201-6.

Fisher EJ

AIDS update. 1987;35:5-16.

Multiple small bowel perforations secondary to cytomegalovirus in a patient with acquired immunodeficiency syndrome. Houin HP, Gruenberg JC, Mezger E. 1987;35:17-9.

Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, Price J, Bruno P, Popovich J Jr, Eichenhorn MS. 1987;35:42-6.

T-lymphocyte subset studies to monitor patients with AIDS and AIDS-related complex. Hayashi H, Mezger E, Deegan MJ, Markowitz N. 1987;35:30-2.

Floquet J

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Dutrieux-Berger N, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.

Foreback CC

Effects of weight reduction, exercise, and diet modification on lipids and apolipoproteins A-1 and B in severely obese persons. Fachnie JD. 1987;35:216-20.

Franc B

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Caillou B, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.

Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Chayvialle JA, Modigliani E, Calmettes C, Caillou B, Dutrieux-Berger N, Houdent C, Kujas M. 1987;35:147-8.

Frank K

Importance of ultrasound examination for the follow-up of medullary thyroid carcinoma: Comparison with other localization methods. Raue F, Lorenz D, Herfarth C, Ziegler R. 1987;35:122-3.

Froelich JW

An overview of magnetic resonance imaging of the appendicular musculoskeletal system. Siegel SC, Haggar AM, Ellis BI. 1987; 35:234-44.

Gagel RF

Different mechanisms of calcitonin, calcitonin gene-related peptide, and somatostatin regulation by glucocorticoids in a cell culture of human medullary thyroid carcinoma. Cote GJ. 1987;35:149-52.

Impact of prospective screening for multiple endocrine neoplasia type 2. Tashjian AH Jr, Cummings T, Papathanasopoulos N, Reichlin S. 1987;35:94-8.

Gardet P

A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, Ait-Abdellah M, Vauzelle P, Bohuon C, Bellet D. 1987;35:129-32.

Geerdink RA

MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, Nieuwenhuijzen Kruseman AC, Moers AMJ, Lips CJM, Beukers EKM, Wiersinga WM. 1987;35:101-3.

Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Berends MJH, Minder WH, Blok APR, Hackeng WHL, Roelofs JMM, Vasen HFA, Vette JK. 1987;35:133-8.

Genel M

One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, Kidd JR, Castiglione CM, Pletcher BA, Murphy PD, Farrer LA, Kidd KK. 1987;35:164-7.

Girgis SI

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Lynch C, Hillyard CJ, Stevenson JC, Hill PA, MacDonald DWR, MacIntyre I. 1987;35:118-9.

Goad E

Comparison of four high-sensitivity immunoradiometric assays for thyrotropin and results of preliminary clinical studies. McKenna MJ, Pimputkar MR, Feldkamp CS. 1987;35:201-6.

Goodman J

Clinical review of epidemic Kaposi's sarcoma with focus on treatment modalities. Chapman R, Meiri E. 1987;35:26-9.

Greene JF Jr

Hyperthyroidism due to a thyrotropin-secreting pituitary microadenoma. Jackson JA, Smigiel M. 1987;35:198-200.

Grondal S

Subtotal adrenalectomy in multiple endocrine neoplasia type 2. Hamberger B, Telenius-Berg M, Cedermark B, Hansson G-B, Werner S. 1987;35:127-8.

Gruenberg JC

Multiple small bowel perforations secondary to cytomegalovirus in a patient with acquired immunodeficiency syndrome. Houin HP, Fisher EJ, Mezger E. 1987;35:17-9.

Haak HR

Characteristics of a family with the MEN-2 syndrome. Nieuwenhuijzen Kruseman AC. 1987;35:104-6.

Hackeng WHL

Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Berends MJH, Minder WH, Blok APR, Geerdink RA, Roelofs JMM, Vasen HFA, Vette JK. 1987;35:133-8.

Hadden DR

Multiple endocrine neoplasia type 2A: A Northern Ireland and Australian family. O'Reilly F, Kennedy L, Russell C. 1987;35:107-9.

Haggar AM

An overview of magnetic resonance imaging of the appendicular musculoskeletal system. Siegel SC, Froelich JW, Ellis BI. 1987; 35:234-44.

Hamberger B

Screening for early asymptomatic pheochromocytoma in MEN-2. Telenius-Berg M, Berg B, Tibblin S. 1987;35:110-4.

Subtotal adrenalectomy in multiple endocrine neoplasia type 2. Telenius-Berg M, Cedermark B, Grondal S, Hansson B-G, Werner S. 1987;35:127-8.

Hansson B-G

Subtotal adrenalectomy in multiple endocrine neoplasia type 2. Hamberger B, Telenius-Berg M, Cedermark B, Grondal S, Werner S. 1987;35:127-8.

Hartley NE

Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, Jeffreys AJ, Carter C, Easton DF, Telenius H, Telenius-Berg M. 1987;35:161-3.

Hattori T

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Motomura K, Okazaki M, Miyauchi A, Ikeuchi T, Yamamoto K, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Hayashi H

T-lymphocyte subset studies to monitor patients with AIDS and AIDS-related complex. Mezger E, Deegan MJ, Fisher EJ, Markowitz N. 1987;35:30-2.

Herfarth C

Importance of ultrasound examination for the follow-up of medullary thyroid carcinoma: Comparison with other localization methods. Frank K, Raue F, Lorenz D, Ziegler R. 1987;35:122-3.

Hessburg PC

Ocular irrigating solutions: A comparison between balanced salt solution and L-410 (PO-EIS). Johnston PM. 1987;35:262-3.

Hill PA

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, Lynch C, Hillyard CJ, Stevenson JC, MacDonald DWR, MacIntyre I. 1987;35:118-9.

Hillyard CJ

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, Lynch C, Stevenson JC, Hill PA, MacDonald DWR, MacIntyre I. 1987;35:118-9.

Hollerman JJ

Gastrointestinal complications of AIDS: Radiologic findings. Bernstein MA, Feczko PJ. 1987;35:20-5.

Honjo T

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Motomura K, Okazaki M, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Mori T. 1987;35:157-60.

Houcke M

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Dutrieux-Berger N, Floquet J, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.

Houdent C

Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, Chayvialle JA, Modigliani E, Calmettes C, Caillou B, Dutrieux-Berger, Kujas M. 1987;35:147-8.

Houin HP

Multiple small bowel perforations secondary to cytomegalovirus in a patient with acquired immunodeficiency syndrome. Gruenberg JC, Fisher EJ, Mezger E. 1987;35:17-9.

Ikeuchi T

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Motomura K, Okazaki M, Miyauchi A, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Jackson CE

Clinical value of calcitonin and carcinoembryonic antigen doubling times in medullary thyroid carcinoma. Norum RA, Talpos GB, Feldkamp CS, Tashjian AH Jr. 1987;35:120-1.

The second international workshop on multiple endocrine neoplasia type 2 syndromes. Ponder BAJ. 1987;35:93.

Jackson JA

Hyperthyroidism due to a thyrotropin-secreting pituitary microadenoma. Smigiel M, Greene JF Jr. 1987;35:198-200.

Naltrexone does not affect adrenal steroidogenesis in women with hirsutism/oligomenorrhea. Wincek TJ, Pliego JF. 1987;35:194-7.

Jeffreys AJ

Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, Hartley NE, Carter C, Easton DF, Telenius H, Telenius-Berg M. 1987;35:161-3.

Johannsen L

Calcitonin gene-related peptide and calcitonin in MEN-2 and sporadic pheochromocytomas: An immunohistochemical study. Daa Schroder H, Schifter S. 1987;35:115-7.

Johnston PM

Ocular irrigating solutions: A comparison between balanced salt solution and L-410 (PO-EIS). Hessburg PC. 1987;35:262-3.

Justrabo E

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Dutrieux-Berger N, Floquet J, Houcke M, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.

Kambouris AA

Primary hyperparathyroidism and associated neoplasms. Ansari MR, Talpos GB. 1987;35:207-10.

Kennedy L

Multiple endocrine neoplasia type 2A: A Northern Ireland and Australian family. Hadden DR, O'Reilly F, Russell C. 1987;35:107-9.

Kidd JR

One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis

AJ, Castiglione CM, Pletcher BA, Murphy PD, Farrer LA, Genel M, Kidd KK. 1987;35:164-7.

Kidd KK

One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, Kidd JR, Castiglione CM, Pletcher BA, Murphy PD, Farrer LA, Genel M. 1987;35:164-7.

Where is the locus for multiple endocrine neoplasia type 2A? Simpson NE. 1987;35:168-71.

Kieran SN

Primary neurologic complications of the acquired immunodeficiency syndrome. 1987;35:33-7.

Kleerekoper M

Aspects of endocrinology (editorial). Mellinger RC. 1987;35:180.

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, Preisman RC. 1987;35:211-5.

Kujas M

Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, Chayvialle JA, Modigliani E, Calmettes C, Caillou B, Dutrieux-Berger N, Houdent C. 1987;35:147-8.

Kumahara Y

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Motomura K, Okazaki M, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Kumar V

Renal involvement in type 2 diabetes mellitus: A clinicopathologic study of the Henry Ford Hospital experience. Dumler F, Romanski RN, Cortes P, Levin NW. 1987;35:221-5.

Kupin W

Renal involvement in the acquired immunodeficiency syndrome: Presentation, clinical course, and therapy. Provenzano R, Santiago GC. 1987;35:38-41.

Lange F

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Pages A, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.

Lazarus CR

Radionuclide imaging in medullary thyroid carcinoma: Evaluation of two new radiopharmaceuticals. Clarke SEM, Maisey MN. 1987;35:124-6.

Lebodic MF

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Viennet M. 1987;35:139-42.

Lee CY

Ultrasonic evaluation in the management of postpartum infection. Madrazo BL, Parks S, Sandler M. 1987;35:58-62.

Leo JR

Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Berends MJH, Minder WH, Blok APR, Geerdink RA, Hackeng WHL, Roelofs JMM, Vasen HFA, Vette JK. 1987;35:133-8.

Lesser B

Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Price J, Bruno P, Fisher EJ, Popovich J Jr, Eichenhorn MS. 1987;35:42-6.

Levin NW

Renal involvement in type 2 diabetes mellitus: A clinicopathologic study of the Henry Ford Hospital experience. Dumler F, Kumar V, Romanski RN, Cortes P. 1987;35:221-5.

Linares M

Prolonged remission of Cushing's disease following bromocriptine therapy. McKenna MJ, Mellinger RC. 1987;35:188-91.

Lips CJM

MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, Nieuwenhuijzen Kruseman AC, Moers AMJ, Beukers EKM, Wiersinga WM, Geerdink RA. 1987;35:101-3.

Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Leo JR, Berends MJH, Minder WH, Blok APR, Geerdink RA, Hackeng WHL, Roelofs JMM, Vasen HFA, Vette JK. 1987;35:133-8.

Lorenz D

Importance of ultrasound examination for the follow-up of medullary thyroid carcinoma: Comparison with other localization methods. Frank K, Raue F, Herfarth C, Ziegler R. 1987;35:122-3.

Lynch C

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, Hillyard CJ, Stevenson JC, Hill PA, MacDonald DWR, MacIntyre I. 1987;35:118-9.

Ma CK

T-cell lymphoma in renal transplant recipient. Maeda K, Bricker L, Deegan MJ. 1987;35:256-8.

MacDonald DWR

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, Lynch C, Hillyard CJ, Stevenson JC, Hill PA, MacIntyre I. 1987;35:118-9.

MacIntyre I

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, Lynch C, Hillyard CJ, Stevenson JC, Hill PA, MacDonald DWR. 1987;35:118-9.

Madrazo BL
Ultrasonic evaluation in the management of postpartum infection. Lee CY, Parks S, Sandler M. 1987;35:58-62.

Maeda K
T-cell lymphoma in renal transplant recipient. Bricker L, Ma CK, Deegan MJ. 1987;35:256-8.

Maisey MN
Radionuclide imaging in medullary thyroid carcinoma: Evaluation of two new radiopharmaceuticals. Clarke SEM, Lazarus CR. 1987; 35:124-6.

Markowitz N
T-lymphocyte subset studies to monitor patients with AIDS and AIDS-related complex. Hayashi H, Mezger E, Deegan MJ, Fisher EJ. 1987;35:30-2.

Matsumoto H
Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Motomura K, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Honjo T, Mori T. 1987;35:157-60.

McKenna MJ
Comparison of four high-sensitivity immunoradiometric assays for thyrotropin and results of preliminary clinical studies. Goad E, Pimputkar MR, Feldkamp CS. 1987;35:201-6.
Osteosclerosis, hyperostosis and related disorders (book review). 1987;35:84.
Pregnancy following sequential bromocriptine therapy in a hyperprolactinemic subject. Zafar MS, Mellinger RC. 1987;35:192-3.
Prolonged remission of Cushing's disease following bromocriptine therapy. Linares M, Mellinger RC. 1987;35:188-91.

Meiri E
Clinical review of epidemic Kaposi's sarcoma with focus on treatment modalities. Goodman J, Chapman R. 1987;35:26-9.

Mellinger RC
Aspects of endocrinology (editorial). Kleerekoper M. 1987;35:180.
Pregnancy following sequential bromocriptine therapy in a hyperprolactinemic subject. McKenna MJ, Zafar MS. 1987;35:192-3.
Prolonged remission of Cushing's disease following bromocriptine therapy. McKenna MJ, Linares M. 1987;35:188-91.

Mezger E
Multiple small bowel perforations secondary to cytomegalovirus in a patient with acquired immunodeficiency syndrome. Houin HP, Gruenberg JC, Fisher EJ. 1987;35:17-9.
T-lymphocyte subset studies to monitor patients with AIDS and AIDS-related complex. Hayashi H, Deegan MJ, Fisher EJ, Markowitz N. 1987;35:30-2.

Miki T
Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Motomura K, Okazaki M, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Minder WH
Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Berends MJH, Blok APR, Geerdink RA, Hackeng WHL, Roelofs JMM, Vasen HFA, Vette JK. 1987; 35:133-8.

Mitchell D
A tribute to C. Leslie Mitchell, MD. 1987;35:74-5.

Miyauchi A
Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Motomura K, Okazaki M, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Modigliani E
Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, Chayvialle JA, Calmettes C, Caillou B, Dutrieux-Berger N, Houdent C, Kujas M. 1987;35:147-8.

Moers AMJ
MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, Nieuwenhuijzen Kruseman AC, Lips CJM, Beukers EKM, Wiersinga WM, Geerdink RA. 1987;35:101-3.

Morgan J
Pituitary metastasis: Lung cancer presenting as bitemporal hemianopsia with diabetes insipidus and anterior pituitary deficiency. Cryar AK, Rock JP, Wisgerhof M. 1987;35:185-7.

Mori T
Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Motomura K, Okazaki M, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Honjo T. 1987;35:157-60.

Motomura K
Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Okazaki M, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Motte P
A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Ait-Abdellah M, Vauzelle P, Gardet P, Bohuon C, Bellet D. 1987;35:129-32.

Murphy PD
One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, Kidd JR, Castiglione CM, Pletcher BA, Farrer LA, Genel M, Kidd KK. 1987;35:164-7.

Nieuwenhuijzen Kruseman AC

Characteristics of a family with the MEN-2 syndrome. Haak HR. 1987;35:104-6.

MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, Moers AMJ, Lips CJM, Beukers EKM, Wiersinga WM, Geerdink RA. 1987; 35:101-3.

Nishisho I

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Miki T, Motomura K, Okazaki M, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Norum RA

Clinical value of calcitonin and carcinoembryonic antigen doubling times in medullary thyroid carcinoma. Jackson CE, Talpos GB, Feldkamp CS, Tashjian AH Jr. 1987;35:120-1.

Obeid FN

Obstructing giant pseudopolyposis of the colon in ulcerative colitis. Sonnino RE. 1987;35:259-61.

Okazaki M

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Motomura K, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

O'Reilly F

Multiple endocrine neoplasia type 2A: A Northern Ireland and Australian family. Hadden DR, Kennedy L, Russell C. 1987;35:107-9.

Pages A

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Rigaud C, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.

Pakstis AJ

One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Kidd JR, Castiglione CM, Pletcher BA, Murphy PD, Farrer LA, Genel M, Kidd KK. 1987;35:164-7.

Papathanasopoulos N

Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, Tashjian AH Jr, Cummings T, Reichlin S. 1987; 35:94-8.

Parks S

Ultrasonic evaluation in the management of postpartum infection. Lee CY, Madrazo BL, Sandler M. 1987;35:58-62.

Peterson PL

Bilateral anterior cerebral artery occlusion in an alcohol abuser with sickle-cell trait. Swanson TH, Zinkel JL. 1987;35:67-70.

Pimputkar MR

Comparison of four high-sensitivity immunoradiometric assays for thyrotropin and results of preliminary clinical studies. McKenna MJ, Goad E, Feldkamp CS. 1987;35:201-6.

Pletcher BA

One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, Kidd JR, Castiglione CM, Murphy PD, Farrer LA, Genel M, Kidd KK. 1987;35:164-7.

Pliego JF

Naltrexone does not affect adrenal steroidogenesis in women with hirsutism/oligomenorrhea. Jackson JA, Wincek TJ. 1987;35:194-7.

Plotkin MS

The AIDS challenge: A psychosocial perspective. Domanski MD. 1987;35:47-51.

Ponder BAJ

Application of minisatellite DNA probes to linkage in MEN-2. Jeffreys AJ, Hartley NE, Carter C, Easton DF, Telenius H, Telenius-Berg M. 1987;35:161-3.

The second international workshop on multiple endocrine neoplasia type 2 syndromes. Jackson CE. 1987;35:93.

Popovich J Jr

Mechanical ventilation: New modes, old modes. 1987;35:63-6.

Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, Price J, Bruno P, Fisher EJ, Eichenhorn MS. 1987;35:42-6.

Preisman RC

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, Kleerekoper M. 1987;35:211-5.

Price J

Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, Bruno P, Fisher EJ, Popovich J Jr, Eichenhorn MS. 1987;35:42-6.

Provenzano R

Renal involvement in the acquired immunodeficiency syndrome: Presentation, clinical course, and therapy. Kupin W, Santiago GC. 1987;35:38-41.

Raman SBK

Unusual lymphomas developing in chronic lymphocytic leukemia. Saeed SM, Abraham JP. 1987;35:251-5.

Raue F

Importance of ultrasound examination for the follow-up of medullary thyroid carcinoma: Comparison with other localization methods. Frank K, Lorenz D, Herfarth C, Ziegler R. 1987;35:122-3.

In vitro secretion of peptides of the calcitonin family: Calcitonin, katacalcin, and calcitonin gene-related peptide. Serve H, Rix E, Ziegler R. 1987;35:143-6.

Reichlin S

Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, Tashjian AH Jr, Cummings T, Papathanasopoulos N. 1987;35:94-8.

Rigaud C
Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Schwartz A, Viennet M, Lebodic MF. 1987;35:139-42.

Rix E
In vitro secretion of peptides of the calcitonin family: Calcitonin, katacalcin, and calcitonin gene-related peptide. Raue F, Serve H, Ziegler R. 1987;35:143-6.

Rock JP
Pituitary metastasis: Lung cancer presenting as bitemporal hemianopsia with diabetes insipidus and anterior pituitary deficiency. Cryar AK, Morgan J, Wisgerhof M. 1987;35:185-7.

Roelofs JMM
Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Berends MJH, Minder WH, Blok APR, Geerdink RA, Hackeng WHL, Vasen HFA, Vette JK. 1987;35:133-8.

Romanski RN
Renal involvement in type 2 diabetes mellitus: A clinicopathologic study of the Henry Ford Hospital experience. Dumler F, Kumar V, Cortes P, Levin NW. 1987;35:221-5.

Russell C
Multiple endocrine neoplasia type 2A: A Northern Ireland and Australian family. Hadden DR, O'Reilly F, Kennedy L. 1987;35:107-9.

Saeed SM
Unusual lymphomas developing in chronic lymphocytic leukemia. Raman SBK, Abraham JP. 1987;35:251-5.

Samaan NA
Localization of a radiolabeled monoclonal antibody to calcitonin in rat medullary thyroid carcinoma allografts. Yang K-P. 1987;35:153-6.

Sandler M
Ultrasonic evaluation in the management of postpartum infection. Lee CY, Madrazo BL, Parks S. 1987;35:58-62.

Santiago GC
Renal involvement in the acquired immunodeficiency syndrome: Presentation, clinical course, and therapy. Provenzano R, Kupin W. 1987;35:38-41.

Schifter S
Calcitonin gene-related peptide and calcitonin in MEN-2 and sporadic pheochromocytomas: An immunohistochemical study. Johannsen L, Daa Schroder H. 1987;35:115-7.

Schwartz A
Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Viennet M, Lebodic MF. 1987;35:139-42.

Serve H
In vitro secretion of peptides of the calcitonin family: Calcitonin, katacalcin, and calcitonin gene-related peptide. Raue F, Rix E, Ziegler R. 1987;35:143-6.

Siegel SC
An overview of magnetic resonance imaging of the appendicular musculoskeletal system. Hagga AM, Froelich JW, Ellis BI. 1987; 35:234-44.

Simpson NE
Where is the locus for multiple endocrine neoplasia type 2A? Kidd KK. 1987;35:168-71.

Smigiel M
Hyperthyroidism due to a thyrotropin-secreting pituitary microadenoma. Jackson JA, Greene JF Jr. 1987;35:198-200.

Sonnino RE
Obstructing giant pseudopolyposis of the colon in ulcerative colitis. Obeid FN. 1987;35:259-61.

Stevenson JC
Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Gagis SI, Lynch C, Hillyard CJ, Hill PA, MacDonald DWR, MacIntyre I. 1987;35:118-9.

Swanson TH
Bilateral anterior cerebral artery occlusion in an alcohol abuser with sickle-cell trait. Zinkel JL, Peterson PL. 1987;35:67-70.
The clinicians' guide to Creutzfeldt-Jakob disease. 1987;35:76-83.

Takai S-I
Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Nishisho I, Miki T, Motomura K, Okazaki M, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Talpos GB
Clinical value of calcitonin and carcinoembryonic antigen doubling times in medullary thyroid carcinoma. Jackson CE, Norum RA, Feldkamp CS, Tashjian AH Jr. 1987;35:120-1.
Primary hyperparathyroidism and associated neoplasms. Kambouris AA, Ansari MR. 1987;35:207-10.
Melvin A. Block, MD. 1987;35:264-5.

Tashjian AH Jr
Clinical value of calcitonin and carcinoembryonic antigen doubling times in medullary thyroid carcinoma. Jackson CE, Norum RA, Talpos GB, Feldkamp CS. 1987;35:120-1.
Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, Cummings T, Papathanasopoulos N, Reichlin S. 1987;35:94-8.

Tateishi H
Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Takai S-I, Nishisho I, Miki T, Motomura K, Okazaki M, Miyauchi A, Ikeuchi T, Yamamoto K, Hattori T, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Telenius H

Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, Jeffreys AJ, Hartley NE, Carter C, Easton DF, Telenius-Berg M. 1987;35:161-3.

Telenius-Berg M

Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, Jeffreys AJ, Hartley NE, Carter C, Easton DF, Telenius H. 1987;35:161-3.

Screening for early asymptomatic pheochromocytoma in MEN-2. Berg B, Hamberger B, Tibblin S. 1987;35:110-4.

Subtotal adrenalectomy in multiple endocrine neoplasia type 2. Hamberger B, Cedermark B, Grondal S, Hansson B-G, Werner S. 1987;35:127-8.

Tibblin S

Screening for early asymptomatic pheochromocytoma in MEN-2. Telenius-Berg M, Berg B, Hamberger B. 1987;35:110-4.

Vasen HFA

MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Nieuwenhuijzen Kruseman AC, Moers AMJ, Lips CJM, Beukers EKM, Wiersinga WM, Geerdink RA. 1987;35:101-3.

Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Berends MJH, Minder WH, Block APR, Geerdink RA, Hackeng WHL, Roelofs JMM, Vette JK. 1987; 35:133-8.

Vasileff WJ

Extensive morphea-form basal cell carcinoma invasion of the iris and the orbital contents. Barsky D. 1987;35:71-3.

Vauzelle P

A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, Ait-Abdellah M, Gardet P, Bohuon C, Bellet D. 1987;35:129-32.

Vette JK

Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, Leo JR, Berends MJH, Minder WH, Blok APR, Geerdink RA, Hackeng WHL, Roelofs JM, Vasen HFA. 1987; 35:133-8.

Viennet M

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, Caillou B, Carrier AM, Dutrieux-Berger N, Floquet J, Houcke M, Justrabo E, Lange F, Pages A, Rigaud C, Schwartz A, Lebodic MF. 1987;35:139-42.

Werner S

Subtotal adrenalectomy in multiple endocrine neoplasia type 2. Hamberger B, Telenius-Berg M, Cedermark B, Grondal S, Hansson B-G. 1987;35:127-8.

Wiersinga WM

MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, Nieuwenhuijzen Kruseman AC, Moers AMJ, Lips CJM, Beukers EKM, Geerdink RA. 1987;35:101-3.

Wilson RJ

Hypothalamic hypogonadotropic hypogonadism in an adolescent male: A rare manifestation of aqueductal stenosis. Wisgerhof M. 1987;35:181-4.

Wincek TJ

Naltrexone does not affect adrenal steroidogenesis in women with hirsutism/oligomenorrhea. Jackson JA, Pliego JF. 1987;35:194-7.

Wisgerhof M

Hypothalamic hypogonadotropic hypogonadism in an adolescent male: A rare manifestation of aqueductal stenosis. Wilson RJ. 1987;35:181-4.

Pituitary metastasis: Lung cancer presenting as bitemporal hemianopsia with diabetes insipidus and anterior pituitary deficiency. Cryar AK, Morgan J, Rock JP. 1987;35:185-7.

Primary aldosteronism at Henry Ford Hospital in the 1980s. 1987;35:226-33.

Yamamoto K

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, Takai S-I, Nishisho I, Miki T, Motomura K, Okazaki M, Miyauchi A, Ikeuchi T, Hattori T, Kumahara Y, Matsumoto H, Honjo T, Mori T. 1987;35:157-60.

Yang K-P

Localization of a radiolabeled monoclonal antibody to calcitonin in rat medullary thyroid carcinoma allografts. Samaan NA. 1987; 35:153-6.

Zafar MS

Pregnancy following sequential bromocriptine therapy in a hyperprolactinemic subject. McKenna MJ, Mellinger RC. 1987;35:192-3.

Ziegler R

Importance of ultrasound examination for the follow-up of medullary thyroid carcinoma: Comparison with other localization methods. Frank K, Raue F, Lorenz D, Herfarth C. 1987;35:122-3.

In vitro secretion of peptides of the calcitonin family: Calcitonin, katacalcin, and calcitonin gene-related peptide. Raue F, Serve H, Rix E. 1987;35:143-6.

Zinkel JL

Bilateral anterior cerebral artery occlusion in an alcohol abuser with sickle-cell trait. Swanson TH, Peterson PL. 1987;35:67-70.

Subject Index

Acquired immunodeficiency syndrome

AIDS update. Fisher EJ. 1987;35:5-16.

Clinical review of epidemic Kaposi's sarcoma with focus on treatment modalities. Goodman J, et al. 1987;35:26-9.

Gastrointestinal complications of AIDS: Radiologic findings. Bernstein MA, et al. 1987;35:20-5.

Health care policy issues related to AIDS: Lessons learned from the Henry Ford Hospital experience. Benfer DW. 1987;35:52-7.

Multiple small bowel perforations secondary to cytomegalovirus in a patient with acquired immunodeficiency syndrome. Houin HP, et al. 1987;35:17-9.

Primary neurologic complications of the acquired immunodeficiency syndrome. Kieran SN. 1987;35:33-7.

Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, et al. 1987;35:42-6.

Renal involvement in the acquired immunodeficiency syndrome: Presentation, clinical course, and therapy. Provenzano R, et al. 1987;35:38-41.

The AIDS challenge: A psychosocial perspective. Plotkin MS, Domanski MD. 1987;35:47-51.

T-lymphocyte subset studies to monitor patients with AIDS and AIDS-related complex. Hayashi H, et al. 1987;35:30-2.

Adrenalectomy

Subtotal adrenalectomy in multiple endocrine neoplasia type 2. Hamberger B, et al. 1987;35:127-8.

Adrenal gland diseases

Prolonged remission of Cushing's disease following bromocriptine therapy. McKenna MJ, et al. 1987;35:188-91.

Adrenal medulla

Different mechanisms of calcitonin, calcitonin gene-related peptide, and somatostatin regulation by glucocorticoids in a cell culture of human medullary thyroid carcinoma. Cote GJ, Gagel RF. 1987;35:149-52.

Alcohol, ethyl

Bilateral anterior cerebral artery occlusion in an alcohol abuser with sickle-cell trait. Swanson TH, et al. 1987;35:67-70.

Antibodies

AIDS update. Fisher EJ. 1987;35:5-16.

T-lymphocyte subset studies to monitor patients with AIDS and AIDS-related complex. Hayashi H, et al. 1987;35:30-2.

Antibodies, monoclonal

A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, et al. 1987;35:129-32.

Localization of a radiolabeled monoclonal antibody to calcitonin in rat medullary thyroid carcinoma allografts. Samaan NA, Yang K-P. 1987;35:153-6.

Apolipoproteins

Effects of weight reduction, exercise, and diet modification on lipids and apolipoproteins A-1 and B in severely obese persons. Fachnie JD, Foreback CC. 1987;35:216-20.

Behavior

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.

Primary neurologic complications of the acquired immunodeficiency syndrome. Kieran SN. 1987;35:33-7.

Biopsy, needle

Guides to clinical aspiration biopsy: Thyroid (book review). Brunner JE. 1987;35:266.

Bone diseases

Osteosclerosis, hyperostosis and related disorders (book review). McKenna MJ. 1987;35:84.

Bromocriptine

Pregnancy following sequential bromocriptine therapy in a hyperprolactinemic subject. McKenna MJ, et al. 1987;35:192-3.

Prolonged remission of Cushing's disease following bromocriptine therapy. McKenna MJ, et al. 1987;35:188-91.

Bronchoscopy

Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, et al. 1987;35:42-6.

Calcitonin

A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, et al. 1987;35:129-32.

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, et al. 1987;35:118-9.

Calcitonin gene-related peptide and calcitonin in MEN-2 and sporadic pheochromocytomas: An immunohistochemical study. Johannsen L, et al. 1987;35:115-7.

Clinical value of calcitonin and carcinoembryonic antigen doubling times in medullary thyroid carcinoma. Jackson CE, et al. 1987;35:120-1.

Different mechanisms of calcitonin, calcitonin gene-related peptide, and somatostatin regulation by glucocorticoids in a cell culture of human medullary thyroid carcinoma. Cote GJ, Gagel RF. 1987;35:149-52.

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, et al. 1987;35:139-42.

Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, et al. 1987;35:94-8.

In vitro secretion of peptides of the calcitonin family: Calcitonin, katacalcin, and calcitonin gene-related peptide. Raue F, et al. 1987;35:143-6.

Localization of a radiolabeled monoclonal antibody to calcitonin in rat medullary thyroid carcinoma allografts. Samaan NA, Yang K-P. 1987;35:153-6.

Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, et al. 1987;35:147-8.

Screening in medullary thyroid carcinoma. Calmettes C. 1987;35:99-100.

Calcium channel blockers

In vitro secretion of peptides of the calcitonin family: Calcitonin, katacalcin, and calcitonin gene-related peptide. Raue F, et al. 1987;35:143-6.

Carcinoma

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, et al. 1987;35:118-9.

Clinical value of calcitonin and carcinoembryonic antigen doubling times in medullary thyroid carcinoma. Jackson CE, et al. 1987;35:120-1.

Different mechanisms of calcitonin, calcitonin gene-related peptide, and somatostatin regulation by glucocorticoids in a cell culture of human medullary thyroid carcinoma. Cote GJ, Gagel RF. 1987;35:149-52.

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, et al. 1987;35:139-42.

Importance of ultrasound examination for the follow-up of medullary thyroid carcinoma: Comparison with other localization methods. Frank K, et al. 1987;35:122-3.

Localization of a radiolabeled monoclonal antibody to calcitonin in rat medullary thyroid carcinoma allografts. Samaan NA, Yang K-P. 1987;35:153-6.

Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, et al. 1987;35:147-8.

Radionuclide imaging in medullary thyroid carcinoma: Evaluation of two new radiopharmaceuticals. Clarke SEM, et al. 1987;35:124-6.

Screening in medullary thyroid carcinoma. Calmettes C. 1987; 35:99-100.

Carcinoma, basal cell

Extensive morphea-form basal cell carcinoma invasion of the iris and the orbital contents. Barsky D, Vasileff WJ. 1987;35:71-3.

Catecholamines

Screening for early asymptomatic pheochromocytoma in MEN-2. Telenius-Berg M, et al. 1987;35:110-4.

Central nervous system

Primary neurologic complications of the acquired immunodeficiency syndrome. Kieran SN. 1987;35:33-7.

Central nervous system diseases

The clinician's guide to Creutzfeldt-Jakob disease. Swanson TH. 1987;35:76-83.

Cerebrovascular disorders

Bilateral anterior cerebral artery occlusion in an alcohol abuser with sickle-cell trait. Swanson TH, et al. 1987;35:67-70.

Cesarean section

Ultrasonic evaluation in the management of postpartum infection. Lee CY, et al. 1987;35:58-62.

Chromosomes

Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, et al. 1987;35:161-3.

One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, et al. 1987;35:164-7.

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, et al. 1987;35:157-60.

Where is the locus for multiple endocrine neoplasia type 2A? Simpson NE, Kidd KK. 1987;35:168-71.

Cognition disorders

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.

Colitis, ulcerative

Obstructing giant pseudopolyposis of the colon in ulcerative colitis. Sonnino RE, Obeid FN. 1987;35:259-61.

Colon

Obstructing giant pseudopolyposis of the colon in ulcerative colitis. Sonnino RE, Obeid FN. 1987;35:259-61.

Community mental health services

The AIDS challenge: A psychosocial perspective. Plotkin MS, Domanski MD. 1987;35:47-51.

Cornea

Ocular irrigating solutions: A comparison between balanced salt solution and L-410 (PO-EIS). Hessburg PC, Johnston PM. 1987;35: 262-3.

Cushing's syndrome

Prolonged remission of Cushing's disease following bromocriptine therapy. McKenna MJ, et al. 1987;35:188-91.

Cytomegaloviruses

Multiple small bowel perforations secondary to cytomegalovirus in a patient with acquired immunodeficiency syndrome. Houin HP, et al. 1987;35:17-9.

Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, et al. 1987;35:42-6.

Dehydroepiandrosterone

Naltrexone does not affect adrenal steroidogenesis in women with hirsutism/oligomenorrhea. Jackson JA, et al. 1987;35:194-7.

Delivery of health care

Health care policy issues related to AIDS: Lessons learned from the Henry Ford Hospital experience. Benfer DW. 1987;35:52-7.

Depression

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.

Dextrans

Ocular irrigating solutions: A comparison between balanced salt solution and L-410 (PO-EIS). Hessburg PC, Johnston PM. 1987;35: 262-3.

Diabetes insipidus

Pituitary metastasis: Lung cancer presenting as bitemporal hemianopsia with diabetes insipidus and anterior pituitary deficiency. Cryar AK, et al. 1987;35:185-7.

Diabetes mellitus

Effects of weight reduction, exercise, and diet modification on lipids and apolipoproteins A-1 and B in severely obese persons. Fachnie JD, Foreback CC. 1987;35:216-20.

Renal involvement in type 2 diabetes mellitus: A clinicopathologic study of the Henry Ford Hospital experience. Dumler F, et al. 1987;35:221-5.

DNA

Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, et al. 1987;35:161-3.

Drug therapy

Clinical review of epidemic Kaposi's sarcoma with focus on treatment modalities. Goodman J, et al. 1987;35:26-9.

Management of extramedullary plasmacytomas. Bonner JA, et al. 1987;35:245-50.

Endocrine diseases

Comparison of four high-sensitivity immunoradiometric assays for thyrotropin and results of preliminary clinical studies. McKenna MJ, et al. 1987;35:201-6.

Effects of weight reduction, exercise, and diet modification on lipids and apolipoproteins A-1 and B in severely obese persons. Fachnie JD, Foreback CC. 1987;35:216-20.

Hyperthyroidism due to a thyrotropin-secreting pituitary microadenoma. Jackson JA, et al. 1987;35:198-200.

Hypothalamic hypogonadotropic hypogonadism in an adolescent male: A rare manifestation of aqueductal stenosis. Wilson RJ, Wisgerhof M. 1987;35:181-4.

Naltrexone does not affect adrenal steroidogenesis in women with hirsutism/oligomenorrhea. Jackson JA, et al. 1987;35:194-7.

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.

Pituitary metastasis: Lung cancer presenting as bitemporal hemianopsia with diabetes insipidus and anterior pituitary deficiency. Cryar AK, et al. 1987;35:185-7.

Primary aldosteronism at Henry Ford Hospital in the 1980s. Wisgerhof M. 1987;35:226-33.

Primary hyperparathyroidism and associated neoplasms. Kambouris AA, et al. 1987;35:207-10.

Prolonged remission of Cushing's disease following bromocriptine therapy. McKenna MJ, et al. 1987;35:188-91.

Renal involvement in type 2 diabetes mellitus: A clinicopathologic study of the Henry Ford Hospital experience. Dumler F, et al. 1987;35:221-5.

Screening for early asymptomatic pheochromocytoma in MEN-2. Telenius-Berg M, et al. 1987;35:110-4.

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, et al. 1987;35:157-60.

Endocrinology

Aspects of endocrinology (editorial). Mellinger RC, Kleerekoper M. 1987;35:180.

Melvin A. Block, MD. Talpos GB. 1987;35:264-5.

Gastroenteritis

Multiple small bowel perforations secondary to cytomegalovirus in a patient with acquired immunodeficiency syndrome. Houin HP, et al. 1987;35:17-9.

Gastrointestinal diseases

Gastrointestinal complications of AIDS: Radiologic findings. Bernstein MA, et al. 1987;35:20-5.

Multiple small bowel perforations secondary to cytomegalovirus in a patient with acquired immunodeficiency syndrome. Houin HP, et al. 1987;35:17-9.

Genetic screening

MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, et al. 1987;35:101-3.

Screening for early asymptomatic pheochromocytoma in MEN-2. Telenius-Berg M, et al. 1987;35:110-4.

Screening in medullary thyroid carcinoma. Calmettes C. 1987;35:99-100.

Genetics, medical

Characteristics of a family with the MEN-2 syndrome. Haak HR, Nieuwenhuijzen Kruseman AC. 1987;35:104-6.

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, et al. 1987;35:139-42.

Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, et al. 1987;35:94-8.

MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, et al. 1987;35:101-3.

Multiple endocrine neoplasia type 2A: A northern Ireland and Australian family. Hadden DR, et al. 1987;35:107-9.

One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, et al. 1987;35:164-7.

Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM. 1987;35:133-8.

Genotype

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, et al. 1987;35:157-60.

Gonadotropins, pituitary

Hypothalamic hypogonadotropic hypogonadism in an adolescent male: A rare manifestation of aqueductal stenosis. Wilson RJ, Wisgerhof M. 1987;35:181-4.

Health planning

Health care policy issues related to AIDS: Lessons learned from the Henry Ford Hospital experience. Benfer DW. 1987;35:52-7.

Hemodialysis

Renal involvement in the acquired immunodeficiency syndrome: Presentation, clinical course, and therapy. Provenzano R, et al. 1987;35:38-41.

Heterozygote

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, et al. 1987;35:157-60.

Hirsutism

Naltrexone does not affect adrenal steroidogenesis in women with hirsutism/oligomenorrhea. Jackson JA, et al. 1987;35:194-7.

Hyperaldosteronism

Primary aldosteronism at Henry Ford Hospital in the 1980s. Wisgerhof M. 1987;35:226-33.

Hypercalcemia

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.

Primary hyperparathyroidism and associated neoplasms. Kambouris AA, et al. 1987;35:207-10.

Hyperparathyroidism
Characteristics of a family with the MEN-2 syndrome. Haak HR, Nieuwenhuijzen Kruseman AC. 1987;35:104-6.
Hyperthyroidism due to a thyrotropin-secreting pituitary microadenoma. Jackson JA, et al. 1987;35:198-200.
Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, et al. 1987;35:94-8.
Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.
Primary hyperparathyroidism and associated neoplasms. Kambouris AA, et al. 1987;35:207-10.

Hyperplasia
Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, et al. 1987;35:133-8.

Hypertension, renal
Renal involvement in type 2 diabetes mellitus: A clinicopathologic study of the Henry Ford Hospital experience. Dumler F, et al. 1987;35:221-5.

Hyperthyroidism
Comparison of four high-sensitivity immunoradiometric assays for thyrotropin and results of preliminary clinical studies. McKenna MJ, et al. 1987;35:201-6.
Hyperthyroidism due to a thyrotropin-secreting pituitary microadenoma. Jackson JA, et al. 1987;35:198-200.

Hypogonadism
Hypothalamic hypogonadotropic hypogonadism in an adolescent male: A rare manifestation of aqueductal stenosis. Wilson RJ, Wisgerhof M. 1987;35:181-4.

Hypokalemia
Primary aldosteronism at Henry Ford Hospital in the 1980s. Wisgerhof M. 1987;35:226-33.

Hypothalamic diseases
Hypothalamic hypogonadotropic hypogonadism in an adolescent male: A rare manifestation of aqueductal stenosis. Wilson RJ, Wisgerhof M. 1987;35:181-4.

Immune system
AIDS update. Fisher EJ. 1987;35:5-16.

Immunochemistry
Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, et al. 1987;35:147-8.

Immunoenzyme techniques
AIDS update. Fisher EJ. 1987;35:5-16.

Infection
AIDS update. Fisher EJ. 1987;35:5-16.
Ultrasonic evaluation in the management of postpartum infection. Lee CY, et al. 1987;35:58-63.

Interferon type I
Clinical review of epidemic Kaposi's sarcoma with focus on treatment modalities. Goodman J, et al. 1987;35:26-9.

Iris
Extensive morphea-form basal cell carcinoma invasion of the iris and the orbital contents. Barsky D, Vasileff WJ. 1987;35:71-3.

Kidney failure, acute
Renal involvement in the acquired immunodeficiency syndrome: Presentation, clinical course, and therapy. Provenzano R, et al. 1987;35:38-41.
Renal involvement in type 2 diabetes mellitus: A clinicopathologic study of the Henry Ford Hospital experience. Dumler F, et al. 1987;35:221-5.

Leukemia, lymphocytic
Unusual lymphomas developing in chronic lymphocytic leukemia. Raman SBK, et al. 1987;35:256-8.

Linkage (genetics)
Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, et al. 1987;35:161-3.
One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, et al. 1987;35:164-7.
Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, et al. 1987;35:157-60.
Where is the locus for multiple endocrine neoplasia type 2A? Simpson NE, Kidd KK. 1987;35:168-71.

Lipids
Effects of weight reduction, exercise, and diet modification on lipids and apolipoproteins A-1 and B in severely obese persons. Fachnie JD, Foreback CC. 1987;35:216-20.

Lung diseases
Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, et al. 1987;35:42-6.

Lymph nodes
Management of extramedullary plasmacytomas. Bonner JA, et al. 1987;35:245-50.

Lymphoma
AIDS update Fisher EJ. 1987;35:5-16.
T-cell lymphoma in renal transplant recipient. Maeda K, et al. 1987;35:256-8.
Unusual lymphomas developing in chronic lymphocytic leukemia. Raman SBK, et al. 1987;35:251-5.

Magnetics
An overview of magnetic resonance imaging of the appendicular musculoskeletal system. Siegel SC, et al. 1987;35:234-44.

Microscopy
Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, et al. 1987;35:139-42.

Musculoskeletal system
An overview of magnetic resonance imaging of the appendicular musculoskeletal system. Siegel SC, et al. 1987;35:234-44.

Neoplasm metastasis

Pituitary metastasis: Lung cancer presenting as bitemporal hemianopsia with diabetes insipidus and anterior pituitary deficiency. Cryar AK, et al. 1987;35:185-7.

Primary hyperparathyroidism and associated neoplasms. Kambouris AA, et al. 1987;35:207-10.

Neoplasms

Clinical review of epidemic Kaposi's sarcoma with focus on treatment modalities. Goodman J, et al. 1987;35:26-9.

Gastrointestinal complications of AIDS: Radiologic findings. Bernstein MA, et al. 1987;35:20-5.

Management of extramedullary plasmacytomas. Bonner JA, et al. 1987;35:245-50.

Primary hyperparathyroidism and associated neoplasms. Kambouris AA, et al. 1987;35:207-10.

Unusual lymphomas developing in chronic lymphocytic leukemia. Raman SBK, et al. 1987;35:251-5.

Neoplasms, multiple endocrine

Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, et al. 1987;35:161-3.

A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, et al. 1987;35:129-32.

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, et al. 1987;35:118-9.

Calcitonin gene-related peptide and calcitonin in MEN-2 and sporadic pheochromocytomas: An immunohistochemical study. Johannsen L, et al. 1987;35:115-7.

Characteristics of a family with the MEN-2 syndrome. Haak HR, Nieuwenhuijzen Kruseman AC. 1987;35:104-6.

Clinical value of calcitonin and carcinoembryonic antigen doubling times in medullary thyroid carcinoma. Jackson CE, et al. 1987; 35:120-1.

Different mechanisms of calcitonin, calcitonin gene-related peptide, and somatostatin regulation by glucocorticoids in a cell culture of human medullary thyroid carcinoma. Cote GJ, Gagel RF. 1987; 35:149-52.

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, et al. 1987;35:139-42.

Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, et al. 1987;35:94-8.

Importance of ultrasound examination for the follow-up of medullary thyroid carcinoma: Comparison with other localization methods. Frank K, et al. 1987;35:122-3.

In vitro secretion of peptides of the calcitonin family: Calcitonin, katacalcin, and calcitonin gene-related peptide. Raue F, et al. 1987;35:143-6.

Localization of a radiolabeled monoclonal antibody to calcitonin in rat medullary thyroid carcinoma allografts. Samaan NA, Yang K-P. 1987;35:153-6.

MEN-2 syndrome: The value of screening and central registration; a study of six kindreds in The Netherlands. Vasen HFA, et al. 1987;35:101-3.

Multiple endocrine neoplasia type 2A: A Northern Ireland and Australian family. Hadden DR, et al. 1987;35:107-9.

One large kindred excludes a locus for multiple endocrine neoplasia type 2A from about 25% of the human autosomal genetic map. Pakstis AJ, et al. 1987;35:164-7.

Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, et al. 1987;35:147-8.

Radionuclide imaging in medullary thyroid carcinoma: Evaluation of two new radiopharmaceuticals. Clarke SEM, et al. 1987;35:124-6.

Screening for early asymptomatic pheochromocytoma in MEN-2. Telenius-Berg M, et al. 1987;35:110-4.

Screening in medullary thyroid carcinoma. Calmettes C. 1987; 35:99-100.

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, et al. 1987;35:157-60.

Subtotal adrenalectomy in multiple endocrine neoplasia type 2. Hamberger B, et al. 1987;35:127-8.

The second international workshop on multiple endocrine neoplasia type 2 syndromes. Ponder BAJ, Jackson CE. 1987;35:93.

Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, et al. 1987;35:133-8.

Where is the locus for multiple endocrine neoplasia type 2A? Simpson NE, Kidd KK. 1987;35:168-71.

Neurologic manifestations

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.

Primary neurologic complications of the acquired immunodeficiency syndrome. Kieran SN. 1987;35:33-7.

Organic mental disorders

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.

Orthopedics

A tribute to C. Leslie Mitchell, MD. Mitchell D. 1987;35:74-5.

Osteosclerosis

Osteosclerosis, hyperostosis and related disorders (book review). McKenna MJ. 1987;35:84.

Parathyroid diseases

Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, et al. 1987;35:94-8.

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.

Primary hyperparathyroidism and associated neoplasms. Kambouris AA, et al. 1987;35:207-10.

Peptides

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, et al. 1987;35:118-9.

Calcitonin gene-related peptide and calcitonin in MEN-2 and sporadic pheochromocytomas: An immunohistochemical study. Johannsen L, et al. 1987;35:115-7.

In vitro secretion of peptides of the calcitonin family: Calcitonin, katacalcin, and calcitonin gene-related peptide. Raue F, et al. 1987;35:143-6.

Naltrexone does not affect adrenal steroidogenesis in women with hirsutism/oligomenorrhea. Jackson JA, et al. 1987;35:194-7.

Peritoneal dialysis

Renal involvement in the acquired immunodeficiency syndrome: Presentation, clinical course, and therapy. Provenzano R, et al. 1987;35:38-41.

Pheochromocytoma

Calcitonin gene-related peptide and calcitonin in MEN-2 and sporadic pheochromocytomas: An immunohistochemical study. Johannsen L, et al. 1987;35:115-7.

Characteristics of a family with the MEN-2 syndrome. Haak HR, Nieuwenhuijzen Kruseman AC. 1987;35:104-6.

Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, et al. 1987;35:94-8.

Multiple endocrine neoplasia type 2A: A Northern Ireland and Australian family. Hadden DR, et al. 1987;35:107-9.

Radionuclide imaging in medullary thyroid carcinoma: Evaluation of two new radiopharmaceuticals. Clarke SEM, et al. 1987;35:124-6.

Screening for early asymptomatic pheochromocytoma in MEN-2. Telenius-Berg, et al. 1987;35:110-4.

Subtotal adrenalectomy in multiple endocrine neoplasia type 2. Hamberger B, et al. 1987;35:127-8.

Pituitary diseases

Hyperthyroidism due to a thyrotropin-secreting pituitary microadenoma. Jackson JA, et al. 1987;35:198-200.

Pituitary metastasis: Lung cancer presenting as bitemporal hemianopsia with diabetes insipidus and anterior pituitary deficiency. Cryar AK, et al. 1987;35:185-7.

Prolonged remission of Cushing's disease following bromocriptine therapy. McKenna MJ, et al. 1987;35:188-91.

Pituitary neoplasms

Pregnancy following sequential bromocriptine therapy in a hyperprolactinemic subject. McKenna MJ, et al. 1987;35:192-3.

Plasmacytoma

Management of extramedullary plasmacytomas. Bonner JA, et al. 1987;35:245-50.

Polymorphism (genetics)

Application of minisatellite DNA probes to linkage in MEN-2. Ponder BAJ, et al. 1987;35:161-3.

Studies of multiple endocrine neoplasia type 2A syndrome: Linkage analyses and comparison of constitutional and tumor genotypes. Tateishi H, et al. 1987;35:157-60.

Positive pressure respiration

Mechanical ventilation: New modes, old modes. Popovich J Jr. 1987;35:63-6.

Postoperative care

Importance of ultrasound examination for the follow-up of medullary thyroid carcinoma: Comparison with other localization methods. Frank K, et al. 1987;35:122-3.

Puerperium

Ultrasonic evaluation in the management of postpartum infection. Lee CY, et al. 1987;35:58-62.

Radiation

Management of extramedullary plasmacytomas. Bonner JA, et al. 1987;35:245-50.

Radiography

Pulmonary complications of AIDS: Henry Ford Hospital experience between January 1984 and July 1986. Lesser B, et al. 1987;35:42-6.

Radioimmunoassay

A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, et al. 1987;35:129-32.

Comparison of four high-sensitivity immunoradiometric assays for thyrotropin and results of preliminary clinical studies. McKenna MJ, et al. 1987;35:201-6.

Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, et al. 1987;35:147-8.

Radiology

Gastrointestinal complications of AIDS: Radiologic findings. Bernstein MA, et al. 1987;35:20-5.

Ultrasonic evaluation in the management of postpartum infection. Lee CY, et al. 1987;35:58-62.

Radionuclide imaging

Radionuclide imaging in medullary thyroid carcinoma: Evaluation of two new radiopharmaceuticals. Clarke SEM, et al. 1987;35:124-6.

Respiration, artificial

Mechanical ventilation: New modes, old modes. Popovich J Jr. 1987;35:63-6.

Retrovirus infections

AIDS update. Fisher EJ. 1987;35:5-16.

Sarcoma, Kaposi's

AIDS update. Fisher EJ. 1987;35:5-16.

Clinical review of epidemic Kaposi's sarcoma with focus on treatment modalities. Goodman J, et al. 1987;35:26-9.

Scrapie

The clinicians' guide to Creutzfeldt-Jakob disease. Swanson TH. 1987;35:76-83.

Serology

T-lymphocyte subset studies to monitor patients with AIDS and AIDS-related complex. Hayashi H, et al. 1987;35:30-2.

Social work

The AIDS challenge: A psychosocial perspective. Plotkin MS, Domanski MD. 1987;35:47-51.

Somatostatin

Different mechanisms of calcitonin, calcitonin gene-related peptide, and somatostatin regulation by glucocorticoids in a cell culture of human medullary thyroid carcinoma. Cote GJ, Gagel RF. 1987;35:149-52.

Plasma and tumor levels of somatostatin (SRIF) and somatostatin immunochemistry in medullary thyroid carcinoma: Apparently discrepant preliminary results. Franc B, et al. 1987;35:147-8.

Thyroid diseases

A two-site immunoradiometric assay for serum calcitonin using monoclonal anti-peptide antibodies. Motte P, et al. 1987;35:129-32.

Calcitonin gene peptides: The diagnostic value of measurement in medullary thyroid carcinoma. Girgis SI, et al. 1987;35:118-9.

Characteristics of a family with the MEN-2 syndrome. Haak HR, Nieuwenhuijzen Kruseman AC. 1987;35:104-6.

Guides to clinical aspiration biopsy: Thyroid (book review). Brunner JE. 1987;35:266.

Hyperthyroidism due to a thyrotropin-secreting pituitary microadenoma. Jackson JA, et al. 1987;35:198-200.

Immunohistochemistry in medullary thyroid carcinoma: Prognosis and distinction between hereditary and sporadic tumors. Franc B, et al. 1987;35:139-42.

Impact of prospective screening for multiple endocrine neoplasia type 2. Gagel RF, et al. 1987;35:94-8.

Multiple endocrine neoplasia type 2A: A Northern Ireland and Australian family. Hadden DR, et al. 1987;35:107-9.

Neurobehavioral symptoms in mild primary hyperparathyroidism: Related to hypercalcemia but not improved by parathyroidectomy. Brown GG, et al. 1987;35:211-5.

Primary hyperparathyroidism and associated neoplasms. Kambouris AA, et al. 1987;35:207-10.

Radionuclide imaging in medullary thyroid carcinoma: Evaluation of two new radiopharmaceuticals. Clarke SEM, et al. 1987;35:124-6.

Thyroid C-cell hyperplasia and micronodules in close relatives of MEN-2A patients: Pitfalls in early diagnosis and reevaluation of criteria for surgery. Lips CJM, et al. 1987;35:133-8.

Ultrasonic diagnosis

Importance of ultrasound examination for the follow-up of medullary thyroid carcinoma: Comparison with other localization methods. Frank K, et al. 1987;35:122-3.

Ultrasonic evaluation in the management of postpartum infection. Lee CY, et al. 1987;35:58-62.

Uterus

Ultrasonic evaluation in the management of postpartum infection. Lee CY, et al. 1987;35:58-62.

Virus diseases

The clinicians' guide to Creutzfeld-Jakob disease. Swanson TH. 1987;35:76-83.

In Appreciation

In addition to members of the Editorial Board, many individuals have reviewed manuscripts for the *Henry Ford Hospital Medical Journal* during the past year. The Editorial Board would like to take this opportunity to acknowledge their valued service in acting as reviewers for the *Journal* in 1987.

Kenneth Adams, MD
Helmut Ammon, MD
Robert Asmussen
Gregory Barkley, MD
David D. Bogorad, MD
George C. Bower, MD
Leslie Bricker, MD
Ramon del Busto, MD
Robert Chapman, MD
Jacob L. Chason, MD
Christine Cole-Johnson, PhD
Cosme Cruz, MD
J. David Fachnie, MD
Evelyn J. Fisher, MD
Craig C. Foreback, MD
Shiro Fujita, MD
Jose Goldman, MD
Peter Haas, MD
Arnold Herskovic, MD
Charles E. Jackson, MD
Kenneth Kapphahn, MD
Richard Ketai, MD
Lester Kobylak, MD
Sambasiva R. Kottamasu, MD
Kenneth Leeper, MD
Robert G. Lesser, MD
Joseph W. Lewis, MD
Norman Markowitz, MD
Eugene Mezger, MD
George R. Mikhail, MD
J. Martin Miller, MD
S. David Nathanson, MD
Robert M. O'Bryan, MD
William Orr, MD
Suresh Patel, MD
Bruce A.J. Ponder, PhD, MRCP
John Popovich, Jr, MD
Richard C. Preisman, MD
Dhanwada S. Rao, MD
John W. Rebuck, MD
Daniel Reddy, MD
William A. Reynolds, MD
Jan Rival, MD
Jack P. Rock, MD
Maria Sawdyk, MD
H. Gunter Seydel, MD
Eric Szilagyi, MD
Karen Thompson-Cardwell, MD
James H. Thrall, MD
Ellis J. Van Slyck, MD
Joseph Ward, MD
Fred W. Whitehouse, MD
Robert J. Wilson, MD
Max Wisgerhof, MD
M. Saeed-uz-Zafar, MD
Barbara Zarowitz, PharmD